

Референтные штаммы MiStraCon

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: sbu@nt-rt.ru || сайт: <https://scharlab.nt-rt.ru>

Reference strains are microorganisms that are defined at least at the genus and species level and stored in collections held by institutions, thus guaranteeing their genetic conservation. The ATCC® strain deposit is the most internationally renowned collection, which is held by the American Type Culture Collection (ATCC). Scharlau's MiStraCon® strains are from the ATCC® and include strains commonly used in microbiological quality control laboratories in the food, pharmaceutical, water, and clinical sectors. Scharlab is authorized by the ATCC® to produce reference cultures from ATCC® primary cultures through the 'ATCC® Licensed Derivative®' program. The ATCC Licensed Derivative Emblem states that Scharlab, S.L. is licensed to use these trademarks and sell products derived from ATCC® cultures. All MiStraCon® products present a certificate of analysis that guarantees their authenticity, traceability and the number of subcultures made from the original reference culture.



MiStraCon® QuantyE-Pellets Strains (High concentration)

Microorganism

Aspergillus brasiliensis ATCC® 16404™ / WDCM 00053

Reference

[EP2001-MSC](#)

Packaging

x 5 u.

Microorganism

Pseudomonas aeruginosa ATCC® 9027™ / WDCM 00026

Reference

[EP2002-MSC](#)

Packaging

x 5 u.

Microorganism

Staphylococcus aureus subsp. *aureus* ATCC® 6538™ / WDCM 00032

Reference

[EP2003-MSC](#)

Packaging

x 5 u.

Microorganism

Escherichia coli ATCC® 8739™ / WDCM 00012

Reference

[EP2004-MSC](#)

Packaging

x 5 u.

Microorganism

Candida albicans ATCC® 10231™ / WDCM 00054

Reference

[EP2005-MSC](#)

Packaging

x 5 u.

Microorganism

Bacillus subtilis subsp. spizizenii ATCC® 6633™/ WDCM 00003

Reference

[EP2006-MS](#)

Packaging

x 5 u.

Microorganism

Enterococcus faecalis ATCC® 29212™/ WDCM 00087

Reference

[EP2008-MS](#)

Packaging

x 5 u.

Microorganism

Salmonella enterica serovar Typhimurium ATCC® 14028™/ WDCM 00031

Reference

[EP2010-MS](#)

Packaging

x 5 u.

Microorganism

Burkholderia cepacea ATCC® 25416™

Reference

[EP2012-MS](#)

Packaging

x 5 u.

MiStraCon® QuantyPellets Strains (Low concentration)

Applications

- Growth Promotion Testing
- Media Challenge Testing
- Suitability of Counting Methods
- Suitability of Sterility Tests
- Suitability of Tests for Specified Microorganisms
- Microbial Limits Testing
- Microbial Enumeration Testing
- Validation of Neutralization Methods
- Methods requiring a low CFU concentration

Highlights

- Delivers 10-100 CFU per 0.1 ml as required by USP/Ph. Eur./JP
- Instant dissolve pellet reduces preparation time
- No dilutions required for simplified test procedure
- Up to 8 hours stability allows for ultimate flexibility
- 50 tests per kit, ideal quantity for labs of any size
- Refrigerated storage is easy and economical
- Online Certificate of Analysis provides detailed strain information
- Authentic, traceable strains at four passages (or fewer) from reference culture – meets USP/Ph. Eur./JP requirements
- Technical Support experts available for guidance

Package Details

- 5 vials of a single, quantitated microorganism (1 lyophilized pellet per vial)
 - 5 vials of hydrating fluid (1.2 ml in each vial)
 - Up to 50 tests per kit
 - Illustrated instructions
-

MiStraCon® Swabs2 Strains (Qualitative)

Microorganism

Aspergillus brasiliensis ATCC® 16404™ / WDCM 00053

Reference

[S00001-MSC](#)

Packaging

x 2 u.

-

Microorganism

Pseudomonas aeruginosa ATCC® 9027™ / WDCM 00026

Reference

[S00002-MSC](#)

Packaging

x 2 u.

-

Microorganism

Staphylococcus aureus subsp. aureus ATCC® 6538™ / WDCM 00032

Reference

[S00003-MSC](#)

Packaging

x 2 u.

-

Microorganism

Escherichia coli ATCC® 8739™ / WDCM 00012

Reference

[S00004-MSC](#)

Packaging

x 2 u.

-

Microorganism

Candida albicans ATCC® 10231™ / WDCM 00054

Reference

[S00005-MSC](#)

Packaging

x 2 u.

-

Microorganism

Bacillus subtilis subsp. spizizenii ATCC® 6633™ / WDCM 00003

Reference

[S00006-MSC](#)

Packaging

x 2 u.

-

Microorganism

Clostridium perfringens ATCC® 13124™ / WDCM 00007

Reference

[S00007-MSC](#)

Packaging

x 2 u.

-

Microorganism

Enterococcus faecalis ATCC® 29212™ / WDCM 00087

Reference

[S00008-MSC](#)

Packaging

x 2 u.

-

Microorganism

Escherichia coli ATCC® 25922™ / WDCM 00013

Reference

[S00009-MSC](#)

Packaging

x 2 u.

-
Microorganism
Salmonella enterica serovar Typhimurium ATCC® 14028™/ WDCM 00031
Reference
[S00010-MS](#)
Packaging
x 2 u.

-
Microorganism
Clostridium Sporogenes ATCC® 19404™/ WDCM 00008
Reference
[S00011-MS](#)
Packaging
x 2 u.

-
Microorganism
Burkholderia cepacea ATCC® 25416™
Reference
[S00012-MS](#)
Packaging
x 2 u.

-
Microorganism
Staphylococcus epidermidis ATCC® 12228™/ WDCM 00036
Reference
[S00014-MS](#)
Packaging
x 2 u.

-
Microorganism
Bacillus cereus ATCC® 11778™/ WDCM 00001
Reference
[S00015-MS](#)
Packaging
x 2 u.

-
Microorganism
Enterobacter aerogenes ATCC® 13048™/ WDCM 00175
Reference
[S00016-MS](#)
Packaging
x 2 u.

-
Microorganism
Legionella p. sub.pneumophila ATCC® 33152™/ WDCM 00107
Reference
[S00017-MS](#)
Packaging
x 2 u.

Microorganism
Campylobacter jejuni subsp. jejuni ATCC® 33291™/ WDCM 00005
Reference
[S00018-MS](#)
Packaging
x 2 u.

-
Microorganism
Listeria innocua ATCC® 33090™/ WDCM 00017
Reference
[S00019-MS](#)
Packaging
x 2 u.

-
Microorganism
Listeria monocytogenes ATCC® 13932™/ WDCM 00021
Reference
[S00020-MS](#)
Packaging
x 2 u.

-
Microorganism
Proteus mirabilis ATCC® 29906™/ WDCM 00023
Reference
[S00021-MS](#)
Packaging
x 2 u.

-
Microorganism
Saccharomyces cerevisiae ATCC® 9763™/ WDCM 00058
Reference
[S00022-MS](#)
Packaging
x 2 u.

-
Microorganism
Citrobacter freundii ATCC® 43864™/ WDCM 00006
Reference
[S00023-MS](#)
Packaging
x 2 u.

-
Microorganism
Salmonella abony NCTC® 6017™
Reference
[S00024-MS](#)
Packaging
x 2 u.

-
Microorganism
Lactobacillus acidophilus ATCC® 4356™/ WDCM 00098
Reference
[S00025-MS](#)
Packaging
x 2 u.

-
Microorganism
Legionella anisa ATCC® 35292™/ WDCM 00106
Reference
[S00026-MS](#)
Packaging
x 2 u.

-
Microorganism
Lactobacillus sakei subsp. sakei ATCC® 15521™/ WDCM 00015
Reference
[S00027-MS](#)
Packaging
x 2 u.

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: sbu@nt-rt.ru || сайт: <https://scharlab.nt-rt.ru>