

Реагенты и биохимические тесты

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: sbu@nt-rt.ru || сайт: <https://scharlab.nt-rt.ru>

Microbiological and environmental quality control measures include the identification of any microorganisms detected. To this end, biochemical tests are required to detect and quantify chemical substances in biological samples and they make use of a wide variety of specific chemical reagents.



Acid Alcohol Decolorizer

Characteristic

Presentation : 1 flask with 1l

Type of packaging : Plastic bottle

Decolourizer used in the bacterial AAR staining.

Packaging	Reference
x 1 L	064CL00081

Catalase Activity Test

Description

Hydrogen peroxide 3% (w/v)

glass bottle (agar)

1 flask with 30ml

Reference

[064-CL0234](#)

Packaging

1 x 30 mL

Description

Hydrogen peroxide, 30% w/w, extra pure

glass flask

1 l

Reference

[HI01351000](#)

Packaging

x 1 l :: Glass bottle



Coagulase Test (Rabbit Plasma)

Sterile and lyophilized rabbit plasma, particularly suitable for detecting coagulase of *Staphylococcus aureus*. According to ISO 6888-1.

Description

Lyophilized rabbit plasma (20 tests)

Type of packaging
glass tube

Presentation
1 tube with 9 ml of plasma + 1 vial of sterile water

Reference

[064-PLA-CO](#)

Packaging

1 + 1 vial



Description

Rabbit Plasma - EDTA

Type of packaging
glass tube

Presentation
23x60 mm glass vials, tag labelled, White plastic cap - 10 vials per box.

Reference

[064-TA3160](#)

Packaging

10 x 3ml



Crystal Violet Gram

Description

Decolorizer Gram

Type of packaging
plastic ampoule

Presentation
1 flask with 1l

Reference

[064CL00021](#)

Packaging

x 1 L

Description

Reagent Crystal Violet

Type of packaging
Plastic bottle

Presentation
1 flask with 1l

Reference

[064CL00061](#)

Packaging

1 L

Volume

x 25 g

Reference[VI00250025](#)**Packaging**

x 25 g :: Glass bottle

Volume

x 100 ml

Reference[VI0027G100](#)**Packaging**

x 100 ml :: Glass bottle

DNase Activity Test

DescriptionHydrochloric acid, solution 0,1 mol/L (0,1 N)**Type of packaging**Plastic bottle**Presentation**

1 l

Reference[AC07461000](#)**Packaging**

x 1 l :: Plastic bottle

Hippurate Test

For the differentiation between group B streptococcus and other β -hemolytic streptococcus by the hippurate hydrolysis test. A suspension of bacteria is added to the hippurate solution and incubated for 2 hours. Then, the ninhydrin developer is added.



Indol Test and Kovac's Reagent

Microbiological and environmental quality control measures include the identification of any microorganisms detected. To this end, biochemical tests are required to detect and quantify chemical substances in biological samples and they make use of a wide variety of specific chemical reagents.

Lugol solution for Gram

Microbiological and environmental quality control measures include the identification of any microorganisms detected. To this end, biochemical tests are required to detect and quantify chemical substances in biological samples and they make use of a wide variety of specific chemical reagents.

Methyl Red Test

Microbiological and environmental quality control measures include the identification of any microorganisms detected. To this end, biochemical tests are required to detect and quantify chemical substances in biological samples and they make use of a wide variety of specific chemical reagents.

Methylene Blue Solution

Microbiological and environmental quality control measures include the identification of any microorganisms detected. To this end, biochemical tests are required to detect and quantify chemical substances in biological samples and they make use of a wide variety of specific chemical reagents.

Nessler, reagent


Microbiological and environmental quality control measures include the identification of any microorganisms detected. To this end, biochemical tests are required to detect and quantify chemical substances in biological samples and they make use of a wide variety of specific chemical reagents.

ONPG-FDA-MUG-INDOL Test

Microbiological and environmental quality control measures include the identification of any microorganisms detected. To this end, biochemical tests are required to detect and quantify chemical substances in biological samples and they make use of a wide variety of specific chemical reagents.

Ornithine Test

Microbiological and environmental quality control measures include the identification of any microorganisms detected. To this end, biochemical tests are required to detect and quantify chemical substances in biological samples and they make use of a wide variety of specific chemical reagents.



Oxidase Test

Microbiological and environmental quality control measures include the identification of any microorganisms detected. To this end, biochemical tests are required to detect and quantify chemical substances in biological samples and they make use of a wide variety of specific chemical reagents.

Phenicated Fuchsin Ziehl-Neelsen

Microbiological and environmental quality control measures include the identification of any microorganisms detected. To this end, biochemical tests are required to detect and quantify

chemical substances in biological samples and they make use of a wide variety of specific chemical reagents.

β -Glucuronidase Broth

Microbiological and environmental quality control measures include the identification of any microorganisms detected. To this end, biochemical tests are required to detect and quantify chemical substances in biological samples and they make use of a wide variety of specific chemical reagents.

Voges Proskauer Test

Description

O'Meara Reagent (B)**Type of packaging**

glass bottle**Presentation**

1 flask with 100ml

Reference

[RE0060G100](#)

Packaging

x 100 ml :: Glass bottle

Description

Barrit Reagent (Alpha-Naphtol) (A)**Type of packaging**

glass bottle**Presentation**

1 flask with 100ml

Reference

[RE0100G100](#)

Packaging

x 100 ml :: Glass bottle

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: sbu@nt-rt.ru || сайт: <https://scharlab.nt-rt.ru>